Proposed Correlation for Gas Solubility at and below Bubble Point Pressure

Mohammed M. Daway Engineering College, University of Baghdad / Baghdad. Email: mohammed11sh@yahoo.com

Received on: 22/8/2013 & Accepted on: 6/3/2014

ABSTRACT:

A study has been done to get an accurate correlation for solution gas-oil ratio (gas solubility). Two hundred and nine measured values from an Iraqi oil field have been used in this study.

Many formulas are tested to get the best correlation for gas solubility. Every formula predicts the value of gas-oil ratio at any given pressure, temperature, oil density and gas specific gravity. Based on the nonlinear regression analysis, the constants of these formulas are determined.

The formula with the minimum average absolute error among the assumed (reported an absolute average error of 4.97 % and a standard deviation of 453) is selected to be the proposed correlation for this study.

The accuracy of the proposed correlation is assessed through a statistical test and compared with those achieved for some published correlations. This test shows that the proposed correlation has the best fitting with the experimental data. Cross plot technique is also applied to check the performance of the correlation which gave the same index of the statistical criterion method.

Another method has been used to ensure the accuracy of the proposed correlation, in which a sample of external data (which is not used to develop the correlation) is tested. The results show the same index of the other methods.

Keywords: Gas solubility, Gas oil ratio, Bubble point pressure.

صيغة مقترحة لحساب ذوبانية الغاز عند وتحت ضغط نقطة الفقاعة

الخلاصة:

تم إجراء در اسة للحصول على علاقة دقيقة لذوبانية الغاز (نسبة الغاز المذاب إلى النفط). مئتان وتسع قيم مقاسة من أحد الحقول العراقية تم إستخدامها في هذه الدر اسة. تم إفتراض عدد من الصيغ لإيجاد أفضل علاقة لذوبانية الغاز، كل صيغة تعطي قيمة لذوبانية الغاز

تُم إفتراض عدد من الصيغ لإيجاد أفضل علاقة لذوبانية الغاز ، كل صيغة تعطي قيمة لذوبانية الغاز عند قيم معلومة للضغط ودرجة الحرارة وكثافة النفط والغاز . إعتماداً على طريقة تحليلات التراجع الخطية، تم حساب ثوابت الصيغ المقترحة.

الصيغة التي حصلت على أقل نسبة خطأ بين الصيغ المفترضة (4.97 %) وسجلت إنحراف معياري مقداره (453) تم إختيار ها لتكون الصيغة المتبناة (أو المقترحة) في هذه الدراسة.

تم تُقييم دقة الصيغة المقترحة عن طريق إختبارات إحصائية، حيث تم إجراء مقارنة لهذه الصيغة مع بعض الصيغ المنشورة سابقاً. وقد أظهرت هذه الإختبارات بأن العلاقة المقترحة أفضل من بقية الصيغ نسبة للبيانات المتوفرة. طريقة الرسم إستخدمت كذلك للتحقق من فعالية العلاقة، وقد أعطت الطريقة نفس الإنطباع الذي أعطته الطريقة السابقة.

https://doi.org/10.30684/etj.32.6A.12

1497

2412-0758/University of Technology-Iraq, Baghdad, Iraq This is an open access article under the CC BY 4.0 license <u>http://creativecommons.org/licenses/by/4.0</u> طريقة أخرى إستخدمت أيضاً للتأكد من دقة العلاقة المقترحة، وهي تطبيق العلاقة على نموذج خارجي من البيانات (لم يستخدم في تطوير العلاقة)، وبمقارنته مع العلاقات الأخرى أعطت حساباته أيضاً نفس الإنطباع السابق.

INTRODUCTION:

as solubility or solution gas-oil ratio is defined as the volume of gas dissolved in one stock tank barrel of oil at a fixed pressure and temperature. Gas solubility in oil increases as the pressure increases, up to the bubble point pressure of the oil. Above the bubble point pressure, gas solubility stays constant (Fig. 1) and crude oil is often called undersaturated. In black-oil models, gas solubility determines the mass transfer between the liquid and gas phases [1].

A typical gas solubility curve, as a function of pressure for an undersaturated crude oil, is shown in figure (1). As the pressure is reduced from the initial reservoir pressure, p_i , to the bubble-point pressure, P_b , no gas evolves from the oil and consequently the gas solubility remains constant at its maximum value of R_{sb} . Below the bubble-point pressure, the solution gas is liberated and the value of R_s decreases with pressure[2].

Empirical Correlations:

Several empirical correlations to determine gas solubility are presented. They assume a flash-vaporization process. Six methods of predicting the gas solubility are presented here: Standing's correlation [3], Vasquez and Beggs's correlation [4], Glaso's correlation[5], Marhoun's correlation[6], Petrosky and Farshad's correlation [7], and Omar's correlation[8]. It should be noted that all the correlations could be used at any pressure equal to or below the bubble-point pressure.

Standing's Correlation

The Standing correlation states [3]:

$$R_{s} = \gamma_{g} \left[\left(\frac{p}{18.2} + 1.4 \right) 10^{x} \right]^{1.2048} \dots (1)$$

with:

 $x = 0.0125 \text{API} - 0.00091(T - 460) \qquad \dots (2)$

Vasquez-Beggs's Correlation

Vazquez and Beggs [4] presented an improved empirical correlation to estimate gas solubility, which can be written as:

$$R_{s} = C_{1} \gamma_{gs} p^{C_{2}} \exp\left[C_{3}\left(\frac{API}{T}\right)\right] \qquad \dots (3)$$

Values for the coefficients are listed in Table (1). with:

$$\gamma_{gs} = \gamma_g \left[1 + 5.912(10^{-5}) (API) (T_{scp} - 460) \log \left(\frac{p_{scp}}{114.7} \right) \right] \dots (4)$$

Glaso's Correlation

This correlation [5] is based on North Sea crude-oil data. The mathematical form is:

...(5)

$$R_{s} = \gamma_{g} \left\{ \left[\frac{\text{API}^{0.989}}{\left(T - 460\right)^{0.172}} \right] (A) \right\}^{1.2255}$$

The parameter A is a pressure-dependent coefficient defined by the following expression:

$$A = 10^X \qquad \dots (6)$$

with the exponent X as given by: $X = 2.8869 - [14.1811 - 3.3093 \log(a)]^{0.5}$

$$X = 2.8869 - [14.1811 - 3.3093 \log(p)]^{0.5} \dots (7)$$

Marhoun's Correlation

Al-Marhoun [6] presented this correlation based on Middle East crude oils. It can be expressed as:

$$R_{s} = \left[a \gamma_{g}^{b} \gamma_{o}^{\epsilon} T^{d} p \right]^{\epsilon} \dots (8)$$

a, b, c, d, and e: coefficients defined in the nomenclature.

Petrosky and Farshad's Correlation

Petrosky and Farshad [7] used nonlinear multiple regression software to develop a gas solubility correlation. The authors constructed a PVT database from 81 laboratory analyses from the Gulf of Mexico crude oil system. Petrosky and Farshad proposed the following expression:

$$R_{s} = \left[\left(\frac{p}{112.727} + 12.340 \right) \gamma_{g}^{0.8439} 10^{x} \right]^{1.73184} \dots (9)$$

with:

$$x = 7.916 \ (10^{-4}) (\text{API})^{1.5410} - 4.561 (10^{-5}) (\text{T} - 460)^{1.3911} \qquad \dots (10)$$

Omar's Correlation:

Omar [8] proposed a correlation to calculate the solution gas oil ratio at pressures below bubble point pressure. He mentioned that the equation was obtained by multiple linear regression analysis of PVT data collected from many Iraqi fields.

In his study, the solution gas-oil ratio was taken as a function of bubble point pressure, stock tank oil gravity, reservoir pressure, reservoir temperature and relative gas density.

He developed the correlation depending on thirty seven PVT reports that were collected from Iraqi fields.

He expressed his correlation as follows:

$$R_{s} = A_{0} P_{b}^{A_{1}} \gamma_{g}^{A_{2}} T^{A_{3}} A P I^{A_{4}} R_{Sb}^{A_{5}} P^{\left(A_{6} P_{b}^{A_{7}} \gamma_{g}^{A_{8}} T^{A_{9}} A P I^{A_{10}} R_{Sb}^{A_{11}}\right)} \qquad \dots (11)$$

Where: A_0 through A_{11} are constants defined in table (2).

Data of the project:

The data studied in this project were obtained from Jambour oil field one of the northern Iraqi oil fields. The data represents 209 experimental points of the gas-oil ratio with temperature, pressure, oil density and gas specific gravity.

The proposed correlation was developed from these ranges of data:

Pressure = 14.7 to 4894.7 psia, Temperature = 80 to 210 °F,

Solution gas oil ratio = 0 to 1596 scf/STB,

Gas specific gravity = 0.685 to 0.8

and oil specific gravity = 0.8175 to 0.8482.

The distribution of the values of the studied properties is expressed in figures (2) through (5).

Comparison with the published correlations:

The selected formula (having minimum AAE) is:

$$R_s = 1.0392 P^{0.8171} T^{-0.1892} \gamma_g^{0.2239} \gamma_o^{4.9013} - 9.6 \qquad \dots (12)$$

The above formula (equation 12) was compared with six published correlations; these are: Standing's correlation [3], Vasquez and Beggs's correlation[4], Glaso's correlation[5], Marhoun's correlation [6], Petrosky and Farshad's correlation[7], and Omar's correlation [8].

Three methods were used for the comparison; the first one was done using the statistical criteria, the second was done using cross plot method, while the third was done using a data sample from Iraqi oil field containing 17 data point (which is not used in developing the correlation). Tables (3) and (4) and figures (6) to (11) show the comparison of the proposed correlation for this study, with the mentioned published correlations using the tested data and external sample data respectively.

Every correlation has been done in a range of data that presented in Table (5). Therefore, in the current study the points that fall out of range of each correlation are rejected from comparison. No. of points in range (which are used in comparison) for each correlation are presented in Table (3).

From the tables, it is clear that the proposed correlation is better than the other six correlations.

CONCLUSIONS:

- 1. Based on data from one of the northern Iraqi oil fields, many formulas to get an accurate correlation for the gas-oil ratio were assumed, and the selected formula (eq. 12) appeared to be the best one (among the assumed).
- 2. The proposed correlation compared with six published correlations using three methods. The three methods showed that the proposed correlation is better than all of those correlations.

Nomenclature:

 ρ_{o} : density of the oil at the specified pressure and temperature, lb/ft^{3} .

- a–e : coefficients of Marhoun's equation having the following values:
 - a = 185.843208
 - b = 1.877840
 - c = -3.1437
 - d = -1.32657
 - e = 1.39844

 A_0 through A_{11} : Constants of Omar's correlation.

- API : American Petroleum Institute unit, API.
- P : Pressure, psi.
- P_b : Bubble Point Pressure, psi.
- P_{sep} : actual separator pressure, psia.
- R_s : Gas-oil ratio or gas solubility, scf/STB.
- R_{sb} : Gas-oil ratio at bubble point, scf/STB.

- T : temperature, $^{\circ}$ R.
- T_{sep} : actual separator temperature, °R.
- γ_{g} : specific gravity of the solution gas.
- $\gamma_{\rm o}$: specific gravity of the stock-tank oil, 60°/60°.

REFERENCES:

[1]Brill, J.P. and Mukherjee, H. "Multiphase Flow in Wells", Monograph Vol. 17, SPE Henry L. Doherty Series, Richardson-Texas, 1999.

[2]Ahmed, T., "Equations of State and PVT Analysis: Applications for Improved Reservoir Modeling", Gulf Publishing Company, Houston, Texas, 2007.

[3]Standing, M.B.: Volumetric and Phase Behavior of Oil Field Hydrocarbon Systems, ninth edition, SPE, Richardson, Texas (1981).

[4]Vasquez, M. and Beggs, H.D.: "Correlations for Fluid Physical Property Prediction", JPT (June 1980) 968; Trans., AIME, 269.

[5]Glaso, O., "Generalized Pressure-Volume-Temperature Correlations", JPT, May 1980.

[6]Marhoun, M. A. "PVT Correlation for Middle East Crude Oils." Journal of Petroleum Technology (May 1988): 650–665.

[7]Petrosky, G. E., and F. Farshad. "Pressure-Volume-Temperature Correlations for Gulf of Mexico Crude Oils", SPE paper 26644, Houston, October 3–6, 1993.

[8]Omar, F.H. "Correlation for Solution Gas Oil Ratio of Iraqi Oils at Pressure below the Bubble Point Pressure", Iraqi Journal of Chemical and Petroleum Engineering, vol. 2, No. 2, June, 2011.

| Coefficient | API ≤ 30 | API > 30 |
|----------------|-----------------|----------|
| C ₁ | 0.362 | 0.0178 |
| C ₂ | 1.0937 | 1.187 |
| C ₃ | 25.724 | 23.931 |

Table (1): Coefficients of Vasquez and Beggs Correlation

 Table (2): Constants of Omar's correlation:

| The | Its | The | Its | |
|----------------|--------|-----------------|--------|--|
| Constant | value | Constant | value | |
| A_0 | 0.0006 | A_6 | 3.867 | |
| A_1 | 0.856 | A ₇ | -0.306 | |
| A_2 | 0.351 | A_8 | -0.083 | |
| A ₃ | 1.829 | A ₉ | -0.306 | |
| A_4 | 1.462 | A ₁₀ | -0.288 | |
| A_5 | -2.116 | A ₁₁ | 0.525 | |

| Correlation | No. of points in range (which are used in comparison) | Average Sum of absolute squared residuals | | Variance | Standard Deviation | |
|-------------------------|--|---|----------|----------|-----------------------|--|
| Proposed | All | 0.049737 | 1123247 | 205503 | 453 | |
| Standing | 171 | 0.300097 | 5819368 | 187292 | 433 | |
| Vasquez and Beggs | 182 | 0.36698 | 10201950 | 160926 | 401 | |
| Glaso | 190 | 0.369743 | 13615860 | 137093 | 370 | |
| Marhoun | 115 | 0.459796 | 14728670 | 159927 | 400 | |
| Petrosky and Farshad | 156 | 0.286482 | 14224470 | 103412 | 322 | |
| Omar | 44 | 0.316269 | 47653140 | 670581 | 819 | |

Table (3): Comparison of the results using tested data

Table (4): comparison of the results for the external data

| Correlation | Average absolute Error, % | Sum of squared residuals | Variance | Standard Deviation | |
|----------------------|---------------------------------|--------------------------------|----------|-----------------------|--|
| Proposed | 0.039387 | 12838 | 164999 | 406 | |
| Standing | 0.209407 | 71795 | 163829 | 405 | |
| Vasquez and Beggs | 0.289821 | 188936 | 135802 | 369 | |
| Glaso | 0.314842 | 453461 | 108252 | 329 | |
| Marhoun | 0.406816 | 516559 | 130946 | 362 | |
| Petrosky and Farshad | 0.247321 | 394908 | 80969 | 285 | |
| Omar | 0.262062 | 478811 | 201834 | 482 | |

Table (5): The ranges of data used in the correlations

| Correlation | P _b , psi | | T , ⁰ F | | Rs, SCF/STB | | API | | γ_{g} , dimensionless | |
|----------------------------|----------------------|---------------|-----------------------|---------------|----------------|---------------|---------------|---------------|------------------------------|---------------|
| | Min. value | Max. value | Min. value | Max. value | Min. value | Max. value | Min. value | Max. value | Min. value | Max. value |
| Proposed | 2010 | 4894 | 80 | 210 | 0 | 1596 | 31 | 43.8 | 0.685 | 0.8 |
| Standing | 130 | 7000 | 100 | 258 | 20 | 1425 | 16.5 | 63.8 | 0.59 | 0.95 |
| Vasquez and Beggs | 15 | 6055 | 70 | 295 | 0 | 2199 | 15.3 | 59.5 | 0.511 | 1.351 |
| Glaso | 165 | 7142 | 80 | 280 | 90 | 2637 | 22.3 | 48.1 | 0.65 | 1.273 |
| Marhoun | 130 | 3573 | 74 | 240 | 26 | 1602 | 19.4 | 44.6 | 0.752 | 1.367 |
| Petrosky and Farshad | 1574 | 6523 | 114 | 288 | 217 | 1406 | 16.3 | 45 | 0.578 | 0.871 |
| Omar | 1950 | 4000 | 190 | 275 | | | 20 | 37 | 0.7 | 0.9 |




Figure (1): Typical gas solubility/pressure relationship ⁽²⁾.




Figure (2): The distribution of Pressure for overall data (psia).




Figure (4): The distribution of gas specific gravity for overall data.




Figure (3): The distribution of Temperature for overall data (°F).




Figure (5): The distribution of gas oil ratio for overall data (scf/STB).




Figure (6): Cross Plot of Gas-oil ratio (Experimental data Versace the calculated data of Proposed Correlation)




Figure (8): Cross Plot of Gas-oil ratio (Experimental data Versace the calculated data of Vasquez and Beggs's Correlation)




Figure (10): Cross Plot of Gas-oil ratio (Experimental data Versace the calculated data of Marhoun's Correlation)




Figure (7): Cross Plot of Gas-oil ratio (Experimental data Versace the calculated data of Standing's Correlation)




Figure (9): Cross Plot of Gas-oil ratio (Experimental data Versace the calculated data of Glaso's Correlation)




Figure (11): Cross Plot of Gas-oil ratio (Experimental data Versace the calculated data of Petrosky and Farshad's Correlation)




Figure (12): Cross Plot of Gas-oil ratio (Experimental data vs. the calculated data of **Omar's Correlation**)




Figure (14): Cross Plot of Gas-oil ratio (Experimental data vs. the calculated data of Standing's Correlation) for the external data.




Figure (16): Cross Plot of Gas-oil ratio (Experimental data vs. the calculated data of Glaso's Correlation) for the external data.





Figure (18): Cross Plot of Gas-oil ratio (Experimental data vs. the calculated data of Petrosky and Farshad's Correlation) for the external data.






Figure (13): Cross Plot of Gas-oil ratio (Experimental data vs. the calculated data of proposed Correlation) for the external data.





Figure (15): Cross Plot of Gas-oil ratio (Experimental data vs. the calculated data of Vasques and Beggs Correlation) for the external data.



data vs. the calculated data of Marhoun's Correlation) for the external data.




Figure (19): Cross Plot of Gas-oil ratio (Experimental data vs. the calculated data of Omar's Correlation) for the external data.

Figure (17): Cross Plot of Gas-oil ratio (Experimental